



**PEMS**  
PRECISION ELECTRIC MOTOR SALES

# HVAC

Catalog



06.03.21

## Table of Contents

<b>Direct Drive Blower Motors</b>	2 - 11
5.0" Shaded Pole 115V	2
5.0" Shaded Pole 230V	2
5.0" PSC 115V	3
5.0" PSC 230V	3
5.6" PSC 115V	4 - 5
5.6" PSC 115V - Multi-Horsepower	6
5.6" PSC 208-230V	7 - 8
5.6" PSC 460V	8
5.6" PSC 208-230V - Multi-Horsepower	9
5.6" ECM	10 - 11
<b>Belt Drive Blower Motors</b>	12
<b>Oil Burner Motors</b>	12
<b>Unit Heater Motors</b>	13
<b>Condenser Motors</b>	14 - 21
5.0" PSC 208-230V	14
5.6" PSC 208-230V Ball Bearing	15
5.6" PSC 208-230V Sleeve Bearing	16
5.6" PSC 208-230V Ball Bearing - Multi-Horsepower	17
5.6" PSC 460V Ball Bearing	18
5.6" PSC 460V Ball Bearing - Multi-Horsepower	18
5.6" ECM	18
48 Frame Fan Canopy PSC	19
48 Frame Fan Canopy 3 Phase	19
56 Frame Commercial Condenser 3 Phase	19
56 Frame Commercial Condenser PSC	20 - 21

## Direct Drive Blower Motors, 5.0" Diameter, Shaded Pole, 115V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Brand	Item Number	Notes
1/15	1050	2	3.0	CWSE	3/8 x 2 3/8	Century	96	
1/8	1050	2	4.5	CWSE	1/2 x 4	Fasco	D178	While Supplies Last
1/8	1050	2	4.8	CWSE	1/2 x 4 1/2	Century	346	
1/8	1050	1	5.5	CWSE	1/2 x 5	US Motors	1337	
1/6	1050	4	6.5	CWSE	1/2 x 4 1/2	Fasco	D164	While Supplies Last
1/6	1050	1	6.6	CWSE	1/2 x 3 7/8	Fasco	D156	While Supplies Last
1/6	1050	1	7.0	CWSE	1/2 x 3 3/4	Century	345	
1/6	1050	2	7.2	CWSE	1/2 x 3 1/2	Fasco	D166	While Supplies Last
1/5	1050	3	6.8	CWSE	1/2 x 3 7/8	Century	385	
1/5	1050	3	6.7	CWSE	1/2 x 4 1/8	Fasco	D158	While Supplies Last
1/5	1050	1	7.1	CWSE	1/2 x 2 1/4	US Motors	1340	
1/5	1050	4	7.9	CWSE	1/2 x 4	Century	559	
1/4	1050	1	8.9	CWSE	1/2 x 2 5/8	US Motors	1341	
1/50	1050	3	1.1	Double Shaft	7.6 x 3/8 x 7.6	Fasco	D249	
1/25	1050	3	1.5	Double Shaft	7.5 x 1/2 x 7.5	Fasco	D255	
1/20	1050	3	2.2	Double Shaft	7.5 x 1/2 x 7.5	Fasco	D253	While Supplies Last
1/20	1050	3	2.6	Double Shaft	7.3 x 3/8 x 7.3	Century	9615	
1/15	1050	3	2.1	Double Shaft	8 x 3/8 x 8	Fasco	D254	While Supplies Last
1/10	1050	3	3.4	Double Shaft	8 x 1/2 x 8	Fasco	D256	
1/10	1050	5	3.5	Double Shaft	10.25 x 1/2 x 10.38	Century	DBL6409NB	
1/10	1050	5	3.6	Double Shaft	10.75 x 3/8 x 10.75	Fasco	D293	Base Included, While Supplies Last
1/10	1050	5	3.6	Double Shaft	10.75 x 1/2 x 10.75	Fasco	D289	Base Included, While Supplies Last
1/10	1550	3	3.5	Double Shaft	7.3 x 1/2 x 7.3	Century	DCL4421	
1/8	1550	3	5.5	Double Shaft	8.3 x 1/2 x 8.3	Century	9671	
1/8	1550	4	3.3	Double Shaft	9.9 x 1/2 x 9.9	Century	347	
1/8	1550	4	3.3	Double Shaft	9.9 x 1/2 x 9.9	Century	9675	Base Included
1/6	1550	4	4.0	Double Shaft	7.2 x 1/2 x 7.2	Century	DCL4422	While Supplies Last
1/6	1550	4	5.0	Double Shaft	7.6 x 1/2 x 7.6	Century	745	

## Direct Drive Blower Motors, 5.0" Diameter, Shaded Pole, 208-230V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Brand	Item Number	Notes
1/8	1050	1	1.9	CWSE	1/2 x 3	Century	598	230V Only
1/8	1050	2	2.1	CWSE	1/2 x 3 7/8	Fasco	D316	While Supplies Last, 230V
1/5	1050	3	3.2	CWSE	1/2 x 5 1/2	Century	B6415	
1/5	1050	4	4	CWSE	1/2 x 5 1/4	Fasco	D658	While Supplies Last
1/6	1550	1	3.2	CCWSE	1/2 x 3 1/4	Century	593	Base Included
1/15	1050	3	1.3	Double Shaft	8.9 x 1/2 x 8.9	Century	320	Base Included
1/15	1050	3	1.3	Double Shaft	3.75 x 1/2 x 4.75	Century	9670	No Base
1/10	1050	5	2.3	Double Shaft	9.3 x 1/2 x 9.3	Century	DB6407	Base Included
1/10	1000	5	2.3	Double Shaft	11 x 1/2 x 11	Century	9689	No Base
1/6	1050	3	2.9	Double Shaft	8.5 x 1/2 x 8.5	Century	348	No Base
1/6	1050	3	3.2	Double Shaft	10 x 1/2 x 10	Fasco	D224	230V Only, No Base

## Direct Drive Blower Motors, 5.0" Diameter, PSC, 115V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/5	1050	3	3.2	Reversible	1/2 x 5 1/2	7.5	Century	<b>BL6505</b>	
1/5	1050	4	3.4	Reversible	1/2 x 3.5	4	US Motors	<b>1268</b>	
1/5	1050	3	3.5	Reversible	1/2 x 4	5	Genteq	<b>2825</b>	Base Included
1/4	1050	3	2.8	Reversible	1/2 x 4	7.5	US Motors	<b>1390</b>	
1/4	1050	3	3.6	Reversible	1/2 x 6	7.5	Century	<b>390</b>	
1/4	1050	3	4.7	Reversible	1/2 x 6	5	Fasco	<b>D150</b>	
1/4	1050	3	4.8	Reversible	1/2 x 4	5	Genteq	<b>2827</b>	
1/3	1050	3	3.8	Reversible	1/2 x 4	15	US Motors	<b>8955</b>	
1/3	1050	3	5.8	Reversible	1/2 x 4	15	Genteq	<b>2829</b>	
1/20	1050	4	.9	Double Shaft	10.1 x 1/2 x 10.1	Included	US Motors	1270	Base Included, Ball Brg
1/15	1050	4	1.4	Double Shaft	10.5 x 1/2 x 10.5	5	Genteq	<b>2830</b>	Base Included
1/15	1050	3	.8	Double Shaft	9.7 x 1/2 x 10.8	5	US Motors	<b>1090</b>	Base Included
1/10	1050	5	1.3	Double Shaft	10.75 x 3/8 x 10.75	Included	Fasco	<b>D294</b>	Base Included
1/10	1050	4	1.9	Double Shaft	8 x 1/2 x 8	5	Genteq	<b>2831</b>	Base Included
1/10	1050	4	2.2	Double Shaft	10.75 x 1/2 x 10.75	Included	Fasco	<b>D291</b>	Base Included
1/10	1050	5	2.5	Double Shaft	10 x 1/2 x 10	Included	US Motors	<b>2832</b>	Base Included
1/8	1050	4	2.7	Double Shaft	10 x 1/2 x 10	5	Genteq	<b>2832</b>	Base Included
1/6	1050	3	2.8	Double Shaft	8.5 x 1/2 x 8.5	4	Fasco	<b>D354</b>	
1/4	1050	4	4.7	Double Shaft	8 x 1/2 x 8	5	Genteq	<b>2833</b>	Base Included
1/25	1550	3	.6	Double Shaft	6.9 x 1/2 x 6.9	5	Fasco	<b>D382</b>	
1/8	1550	4	2.3	Double Shaft	10.5 x 1/2 x 10.5	4	Fasco	<b>D347</b>	
1/6	1550	4	3.2	Double Shaft	8 x 1/2 x 8	4	Fasco	<b>D221</b>	
1/6	1550	4	2.1	Double Shaft	8 x 1/2 x 8	5	Genteq	<b>2837</b>	Base Incl., 1625 RPM
1/6	1550	3	2.5	Double Shaft	8.3 x 1/2 x 8.3	7.5	US Motors	<b>1257</b>	Base Incl., 1425 RPM

## Direct Drive Blower Motors, 5.0" Diameter, PSC, 208-230V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/5	1050	3	1.3	Reversible	1/2 x 5 1/2	7.5	Century	<b>B6507</b>	
1/5	1050	3	1.6	Reversible	1/2 x 4	5	US Motors	<b>8952</b>	
1/5	1050	3	1.7	Reversible	1/2 x 4	5	Genteq	<b>2826</b>	
1/4	1050	3	1.5	Reversible	1/2 x 6	7.5	Century	<b>391</b>	
1/4	1050	3	1.5	Reversible	1/2 x 4	7.5	US Motors	<b>1391</b>	
1/4	1050	3	2.0	Reversible	1/2 x 6	5	Fasco	<b>D151</b>	230V Only
1/4	1050	3	2.2	Reversible	1/2 x 4	5	Genteq	<b>2828</b>	
1/15	1050	3	.5	Double Shaft	8.3 x 1/2 x 8.3	Included	US Motors	<b>1261</b>	Base Included
1/10	1050	4	1	Double Shaft	10.75 x 1/2 x 10.75	Included	Fasco	<b>D292</b>	Base Included
1/5	1075	1	1.3	Double Shaft	5.5 x 1/2 x 5.5	Included	US Motors	<b>1124</b>	No Base
1/3	1050	2	2.9	Double Shaft	8 x 1/2 x 8	4	Fasco	<b>D245</b>	230V Only
1/6	1550	3	1.0	Double Shaft	8 x 1/2 x 8	4	Fasco	<b>D247</b>	230V Only
1/5	1550	2	2.8	Double Shaft	8 x 1/2 x 8	5	Fasco	<b>D258</b>	
1/3	1550	1	2.3	Double Shaft	7.1 x 1/2 x 7.1	5	Fasco	<b>D1025</b>	
1/4	1550	3	1.6	Double Shaft	8 x 1/2 x 8	Included	US Motors	<b>1221P</b>	Base Included
1/4	1550	2	1.4	Double Shaft	9 x 1/2 x 9	5	US Motors	<b>1279</b>	Base Included

## Direct Drive Blower Motors, 5.6" Diameter, PSC, 115V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/6	1075	3	2.5	Reversible	1/2 x 6 1/2	7.5	Century	<b>FDL1016</b>	
1/4	1075	3	3.4	Reversible	1/2 x 4	7.5	Marathon	<b>X000</b>	Ball Bearing
1/4	1075	3	3.5	Reversible	1/2 x 5	7.5	US Motors	<b>1863</b>	
1/4	1075	3	3.5	Reversible	1/2 x 4 1/2	5	Century	<b>DL1026</b>	
1/4	1075	3	4.2	Reversible	1/2 x 4	5	Economaster	<b>EM3583</b>	Ball Bearing
1/4	1075	3	4.2	Reversible	1/2 x 4	5	Genteq	<b>3583</b>	
1/4	1075	3	4.8	Reversible	1/2 x 6	5	Fasco	<b>D721</b>	
1/3	1075	3	4.6	Reversible	1/2 x 4	7.5	Marathon	<b>X002</b>	Ball Bearing
1/3	1075	3	4.9	Reversible	1/2 x 4 1/2	7.5	Century	<b>DL1036</b>	
1/3	1075	3	5.0	Reversible	1/2 x 5	7.5	US Motors	<b>1864</b>	
1/3	1075	3	5.5	Reversible	1/2 x 4	7.5	Economaster	<b>EM3585</b>	Ball Bearing
1/3	1075	3	5.9	Reversible	1/2 x 6	5	Fasco	<b>D727</b>	
1/3	1075	3	6.1	Reversible	1/2 x 4	5	Genteq	<b>3585</b>	
1/2	1075	3	6.2	Reversible	1/2 x 4	10	Marathon	<b>X004</b>	Ball Bearing
1/2	1075	3	6.5	Reversible	1/2 x 5	10	US Motors	<b>1865</b>	
1/2	1075	3	6.5	Reversible	1/2 x 4 1/2	10	Century	<b>DL1056</b>	
1/2	1075	3	7.5	Reversible	1/2 x 4	10	Economaster	<b>EM3587</b>	Ball Bearing
1/2	1075	4	7.7	Reversible	1/2 x 5 1/2	10	Fasco	<b>D701</b>	
1/2	1075	3	9.0	Reversible	1/2 x 4	5	Genteq	<b>3587</b>	
3/4	1075	3	8.9	Reversible	1/2 x 4 1/2	15	Century	<b>DL1076</b>	
3/4	1075	3	9.5	Reversible	1/2 x 5	15	US Motors	<b>8904</b>	
3/4	1075	3	10.2	Reversible	1/2 x 4	15	Economaster	<b>EM3589</b>	Ball Bearing
3/4	1075	3	10.2	Reversible	1/2 x 4	15	Marathon	<b>X009</b>	Ball Bearing
3/4	1075	3	10.5	Reversible	1/2 x 6	10	Fasco	<b>D728</b>	
3/4	1075	3	11.2	Reversible	1/2 x 4	15	Genteq	<b>3589</b>	
1	1075	3	11.8	Reversible	1/2 x 4	20	Genteq	<b>3595</b>	Ball Bearing
1	1075	3	12.1	Reversible	1/2 x 5	20	US Motors	<b>8904</b>	
1	1075	3	12.3	Reversible	1/2 x 6 1/2	20	Century	<b>BDL1106</b>	Ball Bearing
1/6	1075	3	2.5	Reversible	1/2 x 5	5	Genteq	<b>3782</b>	Flex Mount
1/4	1075	4	3.3	Reversible	1/2 x 6	5	Marathon	<b>X034</b>	Flex Mount, Ball Bearing
1/4	1075	3	3.5	Reversible	1/2 x 6	7.5	Century	<b>FML1026</b>	Flex Mount
1/4	1075	3	3.7	Reversible	1/2 x 5	7.5	Genteq	<b>3783</b>	Flex Mount
1/4	1075	3	3.8	Reversible	1/2 x 5	5	US Motors	<b>3783</b>	Flex Mount
1/3	1075	4	4.5	Reversible	1/2 x 6	10	Marathon	<b>X035</b>	Flex Mount, Ball Bearing
1/3	1075	3	4.9	Reversible	1/2 x 5	7.5	Genteq	<b>3785</b>	Flex Mount
1/3	1075	3	5.0	Reversible	1/2 x 5	7.5	US Motors	<b>3785</b>	Flex Mount
1/3	1075	3	6.0	Reversible	1/2 x 6	10	Century	<b>FML1036</b>	Flex Mount
1/2	1075	4	6	Reversible	1/2 x 6	15	Marathon	<b>X036</b>	Flex Mount, Ball Bearing
1/2	1075	3	7.3	Reversible	1/2 x 5	10	Genteq	<b>3787</b>	Flex Mount
1/2	1075	3	7.4	Reversible	1/2 x 5	10	US Motors	<b>3787</b>	Flex Mount
1/2	1075	3	8.0	Reversible	1/2 x 6	10	Century	<b>FML1056</b>	Flex Mount
3/4	1075	3	10.3	Reversible	1/2 x 5	15	Genteq	<b>3789</b>	Flex Mount
3/4	1075	3	10.9	Reversible	1/2 x 6	15	Century	<b>FML1076</b>	Flex Mount

## Direct Drive Blower Motors, 5.6" Diameter, PSC, 115V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/8	1075	3	2	Double Shaft	7 1/2 x 1/2 x 9	5	Century	<b>RAL1006</b>	
1/8	1075	3	2.1	Double Shaft	6 x 1/2 x 6	5	US Motors	<b>1186</b>	TEAO
1/6	1075	3	2.2	Double Shaft	9 x 1/2 x 7 1/2	5	Century	<b>RAL1016</b>	
1/6	1075	3	2.4	Double Shaft	7 x 1/2 x 8 3/4	5	Genteq	<b>3651</b>	
1/6	1075	3	2.9	Double Shaft	7 x 1/2 x 7	5	US Motors	<b>1240</b>	Cap Included
1/4	1075	3	3.4	Double Shaft	7 3/4 x 1/2 x 8	5	Century	<b>RAL1026</b>	
1/4	1075	3	3.7	Double Shaft	7 1/2 x 1/2 x 8	5	Genteq	<b>3671</b>	
1/4	1075	3	4.4	Double Shaft	7 x 1/2 x 7	5	US Motors	<b>1244</b>	
1/3	1075	3	5.0	Double Shaft	6 3/4 x 1/2 x 7	5	Century	<b>RAL1036</b>	
1/3	1075	3	5.1	Double Shaft	7 1/2 x 1/2 x 7 1/2	5	Genteq	<b>3681</b>	
1/2	1075	3	5.2	Double Shaft	7 1/4 x 1/2 x 7 1/4	10	Century	<b>RAL1056</b>	
1/2	1075	3	7.3	Double Shaft	7 1/2 x 1/2 x 7 1/2	10	Genteq	<b>3691</b>	
1/2	1075	3	7.3	Double Shaft	8 x 1/2 x 8	5	Century	<b>594</b>	
3/4	1075	3	8.2	Double Shaft	7 1/4 x 1/2 x 7 1/4	15	Century	<b>RAL1076</b>	
3/4	1075	3	12.6	Double Shaft	8 x 1/2 x 8	10	Century	<b>9600A</b>	
1/4	1625	3	2.7	Reversible	1/2 x 6	10	US Motors	<b>1690</b>	
1/4	1625	3	2.7	Reversible	1/2 x 4	10	Genteq	<b>3992</b>	
1/4	1625	3	2.9	Reversible	1/2 x 4	7.5	Marathon	<b>X013</b>	Ball Bearing
1/4	1625	3	3.0	Reversible	1/2 x 6 1/2	10	Century	<b>FDL1024</b>	
1/3	1625	3	3.7	Reversible	1/2 x 6	15	US Motors	<b>1692</b>	
1/3	1625	3	3.9	Reversible	1/2 x 4	15	Genteq	<b>3994</b>	
1/3	1625	3	4.0	Reversible	1/2 x 6 1/2	15	Century	<b>FDL1034</b>	
1/3	1625	3	4	Reversible	1/2 x 4	7.5	Marathon	<b>X015</b>	Ball Bearing
1/2	1625	3	5	Reversible	1/2 x 4	15	Marathon	<b>X016</b>	Ball Bearing
1/2	1625	3	5.5	Reversible	1/2 x 5	20	US Motors	<b>1694</b>	
1/2	1625	3	6.0	Reversible	1/2 x 4	15	Genteq	<b>3996</b>	
1/2	1625	3	7.6	Reversible	1/2 x 6 1/2	15	Century	<b>FDL1054</b>	
3/4	1625	3	8.4	Reversible	1/2 x 6 1/2	15	Century	<b>FDL1074</b>	
3/4	1625	3	8.6	Reversible	1/2 x 6	20	US Motors	<b>1696</b>	
1	1625	3	11.1	Reversible	1/2 x 6	20	US Motors	<b>1699</b>	
1/6	1625	3	1.9	Double Shaft	8 1/2 x 1/2 x 8 1/2	5	Century	<b>9635A</b>	
1/6	1625	3	2.0	Double Shaft	7 x 1/2 x 8 3/4	5	Genteq	<b>3851</b>	
1/4	1625	3	2.9	Double Shaft	7 1/2 x 1/2 x 7 1/2	5	Genteq	<b>3871</b>	
1/4	1625	3	3.4	Double Shaft	7 5/8 x 1/2 x 8 1/2	5	Century	<b>RAL1024</b>	
1/4	1625	3	3.6	Double Shaft	7 x 1/2 x 7	3	US Motors	<b>1242</b>	
1/3	1625	3	4.0	Double Shaft	7 3/8 x 1/2 x 8 1/2	5	Century	<b>RAL1034</b>	
1/3	1625	3	4.1	Double Shaft	6 1/2 x 1/2 x 8 1/4	5	Genteq	<b>3881</b>	
1/2	1625	3	6.0	Double Shaft	7 5/8 x 1/2 x 7 1/4	5	Century	<b>RAL1054</b>	
1/2	1625	3	6.4	Double Shaft	7 1/2 x 1/2 x 7 1/2	5	Genteq	<b>3891</b>	

## Direct Drive Blower Motors, 5.6" Diameter, PSC, 115V, Open, Sleeve, Multi-Horsepower

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/2			6.2			15			
1/3			6.1			7.5			
1/4	1075	4	4	Reversible	1/2 x 5	7.5	Genteq	<b>3463</b>	
1/5			2.9			7.5			
1/6			2.2			7.5			
1/2			7.0			10			
1/3			6.7			7.5			
1/4	1075	4	4.4	Reversible	1/2 x 5	7.5	CENTURY	<b>FDL6001</b>	
1/5			3.2			7.5			
1/6			2.4			7.5			
1/2			7.0			10			
1/3						7.5			
1/4	1075	4		Reversible	1/2 x 4 1/2	7.5	Economaster	<b>EM3463</b>	Ball Bearing
1/5						7.5			
1/6						7.5			
1/2			7.3			10			
1/3			6.9			7.5			
1/4	1075	4	5.5	Reversible	1/2 x 5	7.5	US Motors	<b>5460</b>	
1/5			3.6			7.5			
1/6			2.8			7.5			
1/2			7.3			12.5			
1/3						7.5			
1/4	1075	4		Reversible	1/2 x 5 1/2		US Motors	<b>US5460</b>	<b>Made in the USA</b> 2 Year Warranty
1/5									
1/6									
3/4			8.5			20			
1/2			8.3			10			
1/3	1075	4	4.6	Reversible	1/2 x 5	10	Genteq	<b>3466</b>	
1/4			3.4			10			
1/5			2.7			10			
3/4			9.1			10			
1/2			6.8			10			
1/3	1075	4	5.5	Reversible	1/2 x 5	7.5	CENTURY	<b>FDL6002</b>	
1/4			3.0			7.5			
1/5			2.3			7.5			
3/4			9.1			10			
1/2						7.5			
1/3	1075	4		Reversible	1/2 x 4 1/2	7.5	Economaster	<b>EM3466</b>	Ball Bearing
1/4						7.5			
1/5						7.5			
3/4			8.1			20			
1/2			6.6			10			
1/3	1075	4	4.6	Reversible	1/2 x 5	10	US Motors	<b>5470</b>	
1/4			3.8			10			
1/5			3.1			10			

## Direct Drive Blower Motors, 5.6" Diameter, PSC, 208-230V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/4	1075	3	1.5	Reversible	1/2 x 5	7.5	US Motors	1971	
1/4	1075	3	1.5	Reversible	1/2 x 4	5	Marathon	X001	Ball Bearing
1/4	1075	3	1.8	Reversible	1/2 x 4 1/2	5	Century	D1026	
1/4	1075	3	2.0	Reversible	1/2 x 4	5	Economaster	EM3584	Ball Bearing
1/4	1075	3	2.0	Reversible	1/2 x 4	5	Genteq	3584	
1/4	1075	3	2.2	Reversible	1/2 x 6	5	Fasco	D725	
1/3	1075	3	1.9	Reversible	1/2 x 5	7.5	US Motors	1972	
1/3	1075	3	2.6	Reversible	1/2 x 4 1/2	5	Century	D1036	
1/3	1075	3	2.7	Reversible	1/2 x 4	5	Genteq	3586	
1/3	1075	3	2.8	Reversible	1/2 x 4	5	Economaster	EM3586	Ball Bearing
1/3	1075	3	2.9	Reversible	1/2 x 6	5	Fasco	D923	
1/3	1075	3	3.3	Reversible	1/2 x 4	5	Marathon	X003	Ball Bearing
1/2	1075	3	2.7	Reversible	1/2 x 4	7.5	Marathon	X005	Ball Bearing
1/2	1075	3	2.9	Reversible	1/2 x 5	10	US Motors	1973	
1/2	1075	3	3.2	Reversible	1/2 x 4 1/2	7.5	Century	D1056	
1/2	1075	3	3.6	Reversible	1/2 x 4	10	Economaster	EM3588	Ball Bearing
1/2	1075	3	4.0	Reversible	1/2 x 6	7.5	Fasco	D703	
1/2	1075	3	4.3	Reversible	1/2 x 4	5	Genteq	3588	
3/4	1075	3	4.0	Reversible	1/2 x 5	15	US Motors	8905	
3/4	1075	3	4.0	Reversible	1/2 x 4 1/2	10	Century	D1076	
3/4	1075	3	5.0	Reversible	1/2 x 4	10	Genteq	3590	
3/4	1075	3	5.4	Reversible	1/2 x 6	10	Fasco	D729	
3/4	1075	3	5.5	Reversible	1/2 x 4	10	Economaster	EM3590	Ball Bearing
3/4	1075	3	5.6	Reversible	1/2 x 4	10	Marathon	X010	Ball Bearing
1	1075	3	5.1	Reversible	1/2 x 4 1/2	20	Century	BD1106	Ball Bearing
1	1075	3	5.3	Reversible	1/2 x 5	15	Marathon	X023	230V, Ball Bearing
1	1075	3	5.6	Reversible	1/2 x 5	20	US Motors	8907	Ball Bearing
1	1075	3	5.6	Reversible	1/2 x 4	15	Genteq	3596	Ball Bearing
1/4	1075	3	1.4	Reversible	1/2 x 6	5	Century	FM1026	Flex Mount
1/4	1075	3	1.7	Reversible	1/2 x 5	5	Genteq	3784	Flex Mount
1/3	1075	3	2.7	Reversible	1/2 x 6	7.5	Century	FM1036	Flex Mount
1/3	1075	3	2.5	Reversible	1/2 x 5	5	Genteq	3786	Flex Mount
1/2	1075	3	3.4	Reversible	1/2 x 6	10	Century	FM1056	Flex Mount
1/2	1075	3	3.5	Reversible	1/2 x 5	7.5	Genteq	3788	Flex Mount
3/4	1075	3	4.9	Reversible	1/2 x 6	10	Century	FM1076	Flex Mount
3/4	1075	3	4.8	Reversible	1/2 x 5	10	Genteq	3790	Flex Mount
1/8	1075	3	0.75	Double Shaft	7 1/2 x 1/2 x 9	5	Century	RA1006	
1/8	1075	3	.8	Double Shaft	7 x 1/2 x 7	5	Genteq	3642	
1/6	1075	3	0.96	Double Shaft	8 1/4 x 1/2 x 8	5	Century	RA1016	
1/6	1075	3	1	Double Shaft	7 x 1/2 x 8 3/4	5	Genteq	3652	
1/4	1075	3	1.5	Double Shaft	10 x 1/2 x 10	5	Century	RA1026	
1/4	1075	3	1.7	Double Shaft	8 x 1/2 x 8	5	Genteq	3672	
1/3	1075	3	1.9	Double Shaft	6 3/4 x 1/2 x 7	5	Century	RA1036	
1/3	1075	3	2.4	Double Shaft	7 1/2 x 1/2 x 7 1/2	5	Genteq	3682	
1/2	1075	3	2.7	Double Shaft	8 x 1/2 x 8	10	Century	RA1056	
1/2	1075	3	3.5	Double Shaft	7 1/4 x 1/2 x 7 1/2	7.5	Genteq	3692	
3/4	1075	3	3.6	Double Shaft	7 x 1/2 x 7 1/4	7.5	Century	RA1076	
3/4	1075	3	5.0	Double Shaft	7 x 1/2 x 7 1/4	7.5	Genteq	3698	



## Direct Drive Blower Motors, 5.6" Diameter, PSC, 208-230V, Open, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/4	1625	1	1.2	Reversible	1/2 x 4	5	Genteq	3993	
1/4	1625	1	1.5	Reversible	1/2 x 6	5	Fasco	D783	
1/4	1625	3	1.8	Reversible	1/2 x 6 1/2	5	Century	FD1024	
1/4	1625	3	1.8	Reversible	1/2 x 4	5	Marathon	X014	Ball Bearing
1/3	1625	3	1.9	Reversible	1/2 x 4	5	Genteq	3995	
1/3	1625	1	1.9	Reversible	1/2 x 6	5	Century	665A	Semi-Enclosed
1/3	1625	3	2.0	Reversible	1/2 x 6 1/2	5	Century	FD1034	
1/3	1625	3	2.3	Reversible	1/2 x 6	5	Marathon	X011	Ball Bearing
1/2	1625	3	2.8	Reversible	1/2 x 4	7.5	Genteq	3997	
1/2	1625	3	2.8	Reversible	1/2 x 6 1/2	7.5	Century	FD1054	
1/2	1625	3	3.8	Reversible	1/2 x 6	5	Fasco	D784	
1/2	1625	3	4.1	Reversible	1/2 x 4	5	Marathon	X017	Ball Bearing
3/4	1625	3	3.7	Reversible	1/2 x 5-1/2	7.5	Marathon	X022	230V Only, Ball Bearing
3/4	1625	3	4.0	Reversible	1/2 x 4	7.5	Genteq	3999	
3/4	1625	3	4.0	Reversible	1/2 x 6 1/2	7.5	Century	FD1074	
3/4	1625	1	5.2	Reversible	1/2 x 6	7.5	Fasco	D789	
1	1625	3	6.2	Reversible	1/2 x 2-1/2	10	Marathon	X211	Ball Bearing
1/6	1625	3	.9	Double Shaft	7 x 1/2 x 7	5	Genteq	3852	
1/6	1625	3	1.1	Double Shaft	8 1/2 x 1/2 x 8 1/2	5	Century	170B	
1/4	1625	4	1.2	Double Shaft	9 x 1/2 x 9	5	US Motors	1381	
1/4	1625	3	1.2	Double Shaft	7 x 1/2 x 8 1/4	5	Genteq	3872	
1/4	1625	3	1.6	Double Shaft	7 x 1/2 x 7	6	US Motors	8725	230V Only
1/4	1625	3	1.9	Double Shaft	7 5/8 x 1/2 x 7 1/4	5	Century	RA1024	
1/3	1625	3	1.9	Double Shaft	6 1/2 x 1/2 x 8 1/4	5	Genteq	3882	
1/3	1625	3	1.9	Double Shaft	7 x 1/2 x 7	7.5	US Motors	8726	
1/3	1625	3	2.0	Double Shaft	7 3/8 x 1/2 x 8	5	Century	RA1034	
1/2	1625	3	3.0	Double Shaft	7 x 1/2 x 7 1/2	5	Genteq	3892	
1/2	1625	3	3.2	Double Shaft	7 5/8 x 1/2 x 7 1/4	5	Century	RA1054	
3/4	1625	3	3.8	Double Shaft	7 1/8 x 1/2 x 7 1/4	7.5	Century	RA1074	
3/4	1625	3	3.9	Double Shaft	7 x 1/2 x 7	7.5	Genteq	3898	

## Direct Drive Blower Motors, 5.6" Diameter, PSC, 460V, Open, Ball

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/3	1075	2	1.0	Reversible	1/2 x 6	7.5	Marathon	X037	
1/3	1075	2	1.2	Reversible	1/2 x 4 3/4	Included	Century	BDH1036	
1/3	1075	3	1.1	Reversible	1/2 x 6 1/2		Genteq	3D006	
1/3	1075	2	1.3	Reversible	1/2 x 6	5	US Motors	8945	
1/2	1075	2	1.4	Reversible	1/2 x 4 3/4	Included	Century	BDH1054	
1/2	1075	2	1.6	Reversible	1/2 x 6	10	Marathon	X038	
1/2	1075	3	1.6	Reversible	1/2 x 6 1/2	10	Genteq	3D007	
3/4	1075	2	2.1	Reversible	1/2 x 6	15	Marathon	X039	
3/4	1075	3	2.1	Reversible	1/2 x 6 1/2	15	Genteq	3D008	
3/4	1075	2	2.2	Reversible	1/2 x 6	20	US Motors	8947	
1	1075	3	3.2	Reversible	1/2 x 4 1/2	15	Century	BDH1106	
1	1075	3	3.3	Reversible	1/2 x 3 1/2	25	US Motors	2553	1100RPM/Sleeve
3/4	1625	2	2.2	Reversible	1/2 x 4 3/4	Included	Century	BDH1076	

## Direct Drive Blower Motors, 5.6" Diameter, PSC, 208-230V, Open, Sleeve, Multi-Horsepower

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/2			2.7			20			
1/3			2.6			10			
1/4	1075	4	1.9	Reversible	1/2 x 5	10	Genteq	3464	
1/5			1.4			10			
1/6			1.1			10			
1/2			3.6			10			
1/3						5			
1/4	1075	4		Reversible	1/2 x 5 1/2		US Motors	US5460	<b>Made in the USA</b> 2 Year Warranty
1/5									
1/6									
1/2			3.6			10			
1/3			3.5			5			
1/4	1075	4	2.8	Reversible	1/2 x 5	5	US Motors	5461	
1/5			1.9			5			
1/6			1.3			5			
1/2			3.9			10			
1/3			3.6			5			
1/4	1075	4	2.5	Reversible	1/2 x 5	5	CENTURY	FD6000	
1/5			1.8			5			
1/6			1.3			5			
1/2			3.9			10			
1/3									
1/4	1075	4		Reversible	1/2 x 4 1/2		Economaster	EM3464	Ball Bearing
1/5									
1/6									
3/4			3.9			10			
1/2									
1/3	1075	4		Reversible	1/2 x 4 1/2		Economaster	EM3467	Ball Bearing
1/4									
1/5									
3/4			4.0			10			
1/2			3.6			10			
1/3	1075	4	3.0	Reversible	1/2 x 5	7.5	CENTURY	FD6001	
1/4			2.3			7.5			
1/5			2.0			7.5			
3/4			4.1			20			
1/2			3.7			10			
1/3	1075	4	2.5	Reversible	1/2 x 5	10	US Motors	5471	
1/4			1.8			10			
1/5			1.7			10			
3/4			4.2			20			
1/2			3.8			10			
1/3	1075	4	2.3	Reversible	1/2 x 5	10	Genteq	3467	
1/4			1.9			10			
1/5			1.5			10			

## Direct Drive Blower Motors - ECM, 5.6" Diameter, PSC, Open, Sleeve,

### PSC to ECM Blower Motors Upgrades/Replacements

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Volts	Brand	Item Number	Notes
1/3-1/5	1075	5	4.0/3.0-2.6	Reversible	1/2 x 4 1/2	115/208-230	US Motors	5522ET	
1/2-1/4	1075	5	5.9/4.6-3.9	Reversible	1/2 x 4 1/2	115/208-230	US Motors	5532ET	
1/2-1/4	1075	5	6.7/4.0	Reversible	1/2 x 5	115/230	Genteq	6005	
3/4-1/3	1075	5	8.1/5.2	Reversible	1/2 x 4 1/2	115/208-230	US Motors	5542ET	
1-1/2	1075	5	11.0/8.0	Reversible	1/2 x 4 1/2	115/208-230	US Motors	5552ET	
1-1/2	1075	5	11.0/6.7	Reversible	1/2 x 5	115/230	Genteq	6010	

### Genteq X13<sup>®</sup> Replacement Motors

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Volts	Brand	Item Number	Notes
1/3	1075	Var	4.8	Reversible	1/2 x 5	115	Genteq	6103E	
1/2	1075	Var	6.8	Reversible	1/2 x 5	115	Genteq	6105E	
1/2-1/3	1075	Var	6.3	Reversible	1/2 x 5	115	US Motors	5632	115/208/230V
3/4	1075	Var	8.4	Reversible	1/2 x 5	115	Genteq	6107E	
3/4	1075	Var	9.3	Reversible	1/2 x 5	115	US Motors	5642	115/208/230V
1	1075	Var	10.9	Reversible	1/2 x 5	115	Genteq	6110E	
1	1075	Var	12.4	Reversible	1/2 x 5	115	US Motors	5652	115/208/230V
1/3	1075	Var	2.8	Reversible	1/2 x 5	208-230	Genteq	6203E	
1/2	1075	Var	4.1	Reversible	1/2 x 5	208-230	Genteq	6205E	
1/2-1/3	1075	Var	4.0-3.8	Reversible	1/2 x 5	208-230	US Motors	5632	115/208/230V
3/4	1075	Var	6.0	Reversible	1/2 x 5	208-230	Genteq	6207E	
3/4	1075	Var	6.3	Reversible	1/2 x 5	208-230	US Motors	5642	115/208/230V
1	1075	Var	7.6	Reversible	1/2 x 5	208-230	Genteq	6210E	
1		Var	7.8-7.2	Reversible	1/2 x 5	208-230	US Motors	5652	115/208/230V

**Direct Drive Blower Motors - ECM, 5.6" Diameter, PSC, Open, Sleeve**

**16 Pin Constant Airflow, Variable Speed, Replacement Motors**

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Volts	Brand	Item Number	Notes
1/3	1075	Var	4.5/2.9-2.7	Reversible	1/2 x 5	115/208-230	EZ16™	<b>5863</b>	
1/3	1075	Var	5.0/2.8	Reversible	1/2 x 5	120/240	Evergreen® VS	<b>6503V</b>	
1/2	1075	Var	6.4/4.0-3.8	Reversible	1/2 x 5	115/208-230	EZ16™	<b>5862</b>	
1/2	1075	Var	7.7/4.3	Reversible	1/2 x 5	120/240	Evergreen® VS	<b>6505V</b>	
3/4	1075	Var	9.3/5.9-5.5	Reversible	1/2 x 5	115/208-230	EZ16™	<b>5861</b>	
3/4	1075	Var	10.1/6.1	Reversible	1/2 x 5	120/240	Evergreen® VS	<b>6507V</b>	
1	1075	Var	12.1/7.6-7.1	Reversible	1/2 x 5	115/208-230	EZ16™	<b>5860</b>	
1	1075	Var	12.8/7.4	Reversible	1/2 x 5	120/240	Evergreen® VS	<b>6510V</b>	
<i>Evergreen Interface Module required when replacing 2.3 and EON models only</i>								<b>5K010</b>	

**EZ16™**

**2.0, 2.3, EON and Nidec 16X4W Replacement**

*EZ16™ motors Do Not replace 3.0 (4 pin) motors*



Models: 5863, 5862, 5861, 5860

User Interface Included with all models

**Evergreen® VS**

**2.3, 3.0 and EON Replacement**

*Evergreen® VS motors Do Not replace 2.0 or Nidec 16X4W motors*



Models: 6503V, 6505V, 6507V, 6510V

User Interface Sold Separately (**5K010**)

\* The Evergreen® User Interface **5K010** is required when replacing the **2.3** and **EON** (16 pin) motors. It is not required when replacing the 3.0 (4 pin) motors

## Belt Drive Blower Motors, 48 Frame, Split Phase, Open, Ball, Auto Protector

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Volts	Brand	Item Number	Notes
1/4	1725	1	5.0	Reversible	1/2 x 1 7/8	115	Marathon	<b>B206</b>	1.35 SF, FRM
1/4	1725	1	5.3	Reversible	1/2 x 1 1/2	115	US Motors	<b>8000</b>	1.35 SF, FRM
1/4	1725	1	5.4	Reversible	1/2 x 1 5/8	115	Century	<b>GF2024</b>	Slv Brg, 1.35 SF, FRM
1/4	1725	1	5.2/2.6	Reversible	1/2 x 1 1/2	115/208-230	Century	<b>BF2024</b>	1.35 SF, FRM
1/4	1725	1	5.2/2.5-2.6	Reversible	1/2 x 2 1/4	115/208-230	US Motors	<b>PD6002</b>	1.35 SF
1/3	1725	1	5.5	Reversible	1/2 X 1 7/8	115	Marathon	<b>B207</b>	1.35 SF, FRM
1/3	1725	1	6.4	Reversible	1/2 x 1 1/2	115	US Motors	<b>8100</b>	1.35 SF, FRM
1/3	1725	1	6.8	Reversible	1/2 x 1 5/8	115	Century	<b>GF2034</b>	Slv Brg, 1.35 SF, FRM
1/3	1725	1	6.4/3.2	Reversible	1/2 x 1 1/2	115/230	Century	<b>BF2034</b>	1.35 SF, FRM
1/3	1725	1	6.6/3.1-3.3	Reversible	1/2 x 2 1/4	115/208-230	US Motors	<b>PD6004</b>	1.35 SF
1/2	1725	1	7.5	Reversible	1/2 x 2	115	Marathon	<b>B208</b>	1.25 SF, FRM
1/2	1725	1	8.0	Reversible	1/2 x 1 1/2	115	US Motors	<b>8200</b>	1.25 SF, FRM
1/2	1725	1	8.0	Reversible	1/2 x 1 5/8	115	Century	<b>GF2054</b>	Slv Brg, 1.35 SF, FRM
1/2	1725	1	8.2/4.1	Reversible	1/2 x 1 1/2	115/208-230	Century	<b>BF2054</b>	1.25 SF, FRM
1/2	1725	1	8.6/4.2-4.3	Reversible	1/2 x 2 1/4	115/208-230	US Motors	<b>PD6006</b>	1.25 SF

FRM = Base Slotted for 48/56 Frame, 5/8" Shaft Adapter Included

## Oil Burner Motors, 48 Frame, Split Phase, Reversible, Sleeve, Auto Protector

HP	RPM	Amps	Frame Size	Enclosure	Bearing	Volts	Brand	Item Number	Notes
1/8	1725	2.4	48N	TE	Ball	115	US Motors	<b>3196</b>	
1/8	1725	2.5	48N	TE	Sleeve	115	Century	<b>EL2005</b>	
1/8	1725	2.8	48N	TE	Ball	115	Marathon	<b>O600</b>	
1/6	1725	2.7	48N	TE	Ball	115	Marathon	<b>O601</b>	
1/6	1725	3.1	48N	TE	Sleeve	115	US Motors	<b>3252</b>	
1/6	1725	3.2	48N	TE	Sleeve	115	Century	<b>XEL2014</b>	
1/4	1725	4.2	48N	TE	Ball	115	Marathon	<b>O002</b>	Semi Enclosed
1/3	1725	4.3	48N	TE	Sleeve	115	Century	<b>OL2034</b>	Open Construction
1/3	1725	4.3	48N	TE	Sleeve	115	Century	<b>EL2034</b>	
1/3	1725	4.8	56N	TE	Ball	115	US Motors	<b>3580</b>	5/8" Shaft Adapter
1/3	1725	5.0	48N	TE	Ball	115	Marathon	<b>O003</b>	Semi Enclosed
1/8	3450	2.4	48N	Open	Ball	115	Marathon	<b>O005</b>	
1/8	3450	2.4	48N	TE	Ball	115	US Motors	<b>2097</b>	Totally Enclosed
1/7	3450	1.7	48M	Open	Ball	115	US Motors	<b>3274</b>	
1/7	3450	1.8	48M	Open	Ball	115	Century	<b>OBK6002V1</b>	CWOSE
1/7	3450	2.3	48M	Open	Ball	115	US Motors	<b>5866</b>	
1/7	3450	2.5	48M	Open	Sleeve	115	Century	<b>EL2002V1</b>	CCWOSE
1/7	3450	2.6	48M	Open	Ball	115	US Motors	<b>3083</b>	
1/7	3450	2.8	48M	Open	Ball	115	Marathon	<b>O100</b>	
1/6	3450	3.1	48M	Open	Ball	115	Marathon	<b>O102</b>	
1/5	3450	3.0/1.5	48N	Open	Ball	115/230	Marathon	<b>O012</b>	Cap Start/Cap Run
1/4	3450	3.4	48N	Open	Sleeve	115	Century	<b>EL2022</b>	
1/4	3450	3.7	48N	Open	Ball	115	US Motors	<b>2302</b>	
1/4	3450	4.2	48N	Open	Ball	115	Marathon	<b>O004</b>	
1/4	3450	4.4/2.2	48N	Open	Ball	115/230	Marathon	<b>O013</b>	
1/3	3450	4.2/2.1	48N	Open	Sleeve	115/230	Century	<b>OL2032</b>	
1/3	3450	4.8	48N	Open	Ball	115	US Motors	<b>2319</b>	
1/3	3450	5.2/12.6	48N	Open	Sleeve	115/230	Century	<b>OL1032D</b>	
1/3	3450	5.6/2.8-2.7	48N	Open	Ball	115/208-230	Marathon	<b>O010</b>	Cap Start/Cap Run
1/2	3450	6.2/3.1	48N	Open	Sleeve	115/230	Century	<b>OL2052D</b>	
1/2	3450	7.3/3.7	48N	Open	Sleeve	115/230	Century	<b>OL1052DS</b>	Cap Start
1/2	3450	7.4/3.7-3.5	48N	Open	Ball	115/208-230	Marathon	<b>O011</b>	Cap Start/Cap Run
3/4	3450	10.0/5.0	48CZ	Open	Ball	115/208-230	Century	<b>OL1072D</b>	5/8" Shaft, Cap Start

## Unit Heater Motors, 5.0" Diameter, Shaded Pole, 115V, Totally Enclosed, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	A-Dimension	Brand	Item Number	Notes
1/20	1050	1	1.7	CWSE	3/8 x 3	3 1/4"	PEMS	<b>P01871</b>	Mestek Replacement
1/20	1050	1	2.0	CWSE	3/8 x 3	3 1/8"	Fasco	<b>D242</b>	
1/15	1050	1	2.5	CWSE	3/8 x 3	3 1/4"	PEMS	<b>P01872</b>	Mestek Replacement
1/15	1050	1	2.5	CWSE	1/2 x 2 3/4	3 3/8"	PEMS	<b>P0387</b>	
1/15	1050	1	3.3	CWSE	1/2 x 2 1/8	3 1/2"	Century	<b>U6430</b>	
1/8	1050	1	4.5	CWSE	1/2 x 2 1/8	4"	Century	<b>U6431</b>	

## Unit Heater Motors, 5.0" Diameter, PSC, 115V, Totally Enclosed, Sleeve

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/8	1075	2	2.3	CWSE	1/2 x 3	4	Fasco	<b>D261</b>	
1/8	1075	1	2.6	CWSE	1/2 x 2 7/8	Included	Century	<b>U6520</b>	Revsible
1/8	1075	1	2.6	CWSE	1/2 x 2 7/8	Included	Century	<b>U6521</b>	Revsible, Base Incl.
1/6	1075	1	2.9	CWSE	1/2 x 3	4	Fasco	<b>D260</b>	CWSE

## Unit Heater Motors, 5.6" Diameter, PSC, Totally Enclosed, Sleeve

HP	RPM	Amps	Rotation	Bearing	Shaft Dimension	Volts	Brand	Item Number	Notes
1/6	1075	2.8	Reversible	Sleeve	1/2 x 2 1/4	115	Century	<b>US1016NB</b>	Stud Mount
1/4	1075	4.9	Reversible	Sleeve	1/2 x 2 1/4	115	Century	<b>US1026NB</b>	Stud Mount
1/4	1075	5.3	Reversible	Sleeve	1/2 x 2 1/4	115	Century	<b>US1036NB</b>	Stud Mount
1/6	1075	2.2	Reversible	Ball	1/2 x 2 1/4	115	Century	<b>UH1016NB</b>	Stud Mount
1/6	1075	2.6	Reversible	Ball	1/2 x 4 1/2	115	US Motors	<b>9034</b>	Stud Mount
1/4	1075	3.6	Reversible	Ball	1/2 x 4 1/2	115	US Motors	<b>9035</b>	Stud Mount
1/4	1075	4.9	Reversible	Ball	1/2 x 2 1/4	115	Century	<b>UH1026NB</b>	Stud Mount
1/3	1075	4.3	Reversible	Ball	1/2 x 2 1/4	115	Century	<b>UH1036NB</b>	Stud Mount
1/3	1075	5.1	Reversible	Ball	1/2 x 4 1/2	115	US Motors	<b>9036</b>	Stud Mount
1/6	1075	2.8	CWSE	Sleeve	1/2 x 1 3/4	115	Century	<b>US1016</b>	Resilient Base
1/4	1075	4.9	CWSE	Sleeve	1/2 x 1 3/4	115	Century	<b>US1026</b>	Resilient Base
1/3	1075	5.3	CWSE	Sleeve	1/2 x 2 1/4	115	Century	<b>US1036</b>	Resilient Base
1/6	1075	2.0	CWSE	Ball	1/2 x 3 1/4	115	Fasco	<b>D736</b>	Resilient Base
1/6	1075	2.2	CWSE	Ball	1/2 x 2 3/8	115	Century	<b>UH1016</b>	Resilient Base
1/6	1075	2.6	CWSE	Ball	1/2 x 3 3/8	115	US Motors	<b>1385</b>	Resilient Base
1/4	1075	3.6	CWSE	Ball	1/2 x 3 3/8	115	US Motors	<b>1384</b>	Resilient Base
1/4	1075	4.9	CWSE	Ball	1/2 x 1 3/4	115	Century	<b>UH1026</b>	Resilient Base
1/3	1075	5.3	CWSE	Ball	1/2 x 3 3/8	115	US Motors	<b>1388</b>	Resilient Base
1/3	1075	5.3	CWSE	Ball	1/2 x 2 1/4	115	Century	<b>UH1036</b>	Resilient Base
1/4	1075	1.8	CWSE	Ball	1/2 x 4 3/4	208-230	Century	<b>UHH1026</b>	Resilient Base
1/3	1075	2.2	CWSE	Ball	1/2 x 4 3/4	208-230	Century	<b>UHH1036</b>	Resilient Base
1/2	1075	2.8	CWSE	Ball	1/2 X 6	115/230	Century	<b>733</b>	Resilient Base

## Condenser Motors, 5.0" Diameter, PSC, 208-230V, TEAO, Ball Bearing

### "Cap-Can"/"Clam Shell" Construction

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/10	1075	1	0.74	CCWSE	1/2 x 2 3/4	5	Genteq	<b>2243</b>	
1/10	1075	1	0.75		1/2 x 2 3/4	5	US Motors	<b>2243</b>	
1/8	1075	1	0.86	CCWSE	1/2 x 2 3/4	5	Genteq	<b>2248</b>	
1/8	1075	1	0.9		1/2 x 2 3/4	5	US Motors	<b>2249</b>	
1/5	1075	1	1.6	CCWSE	1/2 x 2 3/4	5	Genteq	<b>2246</b>	
1/5	1075	1	1.6		1/2 x 2 3/4	5	US Motors	<b>2246</b>	
1/4	1075	1	1.7	CCWSE	1/2 x 2 3/4	7.5	Genteq	<b>2244</b>	
1/4	1075	1	1.7	CWSE	1/2 x 2 3/4	7.5	Genteq	<b>2245</b>	
1/4	1075	1	1.7		1/2 x 2 3/4	7.5	US Motors	<b>2250</b>	

### Multi-HP/Mounting Replacement Motors

HP	RPM	Speeds	Amps	Rotation	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/8	1075	1	0.8	Reversible	1/2 x 3	5	US Motors	<b>5440H</b>	EZ FIT®
1/8	1075	1	0.8	Reversible	1/2 x 3	5	Century	<b>9722</b>	MULTIFIT®
1/4	1075	1	1.5	Reversible	1/2 x 3	5	US Motors	<b>5441H</b>	EZ FIT®
1/4	1075	1	2	Reversible	1/2 x 3	7.5	Century	<b>9723</b>	MULTIFIT®
1/4	1625	1	1.5	Reversible	1/2 x 3	5	US Motors	<b>5442H</b>	EZ FIT®
1/4	1625	1	1.6	Reversible	1/2 x 3	5	Century	<b>9724</b>	MULTIFIT®

EZ FIT® - Replaces: Clam Shell 4.3" B.C., 3 PC 4.4" B.C., 3PC 4.6" B.C.

MULTIFIT® - Replaces Clam Shell/Cap-Can 4.3" B.C., 4 PC 4.42" B.C., 4 PC 4.62" B.C.

## Condenser Motors, 5.6" Diameter, PSC, 208-230V, TEAO, Reversible, 60° C

HP	RPM	Speeds	Amps	Bearing	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/10	825	1	0.7	Ball	1/2 x 6	5	Genteq	3201	
1/8	825	1	1.1	Ball	1/2 x 6	5	Genteq	3202	
1/6	825	1	0.9	Ball	1/2 x 6	5	Genteq	3203HS	70° C
1/6	825	1	1.0	Ball	1/2 x 6	5	Genteq	3203	
1/6	825	1	1.1	Ball	1/2 x 6	5	Economaster	EM3403	
1/6	825	1	1.1	Ball	1/2 x 6	5	Marathon	X465	
1/6	825	1	1.1	Ball	1/2 x 6 1/2	5	Century	FE1018SF	70° C
1/6	825	1	1.1	Ball	1/2 x 6	5	Economaster	EM3403F	70° C
1/4	825	1	1.4	Ball	1/2 x 6	5	Economaster	EM3404	
1/4	825	1	1.5	Ball	1/2 x 6	7.5	Genteq	3204	
1/4	825	1	1.3	Ball	1/2 x 6	7.5	Genteq	3204HS	70° C
1/4	825	1	1.4	Ball	1/2 x 6	5	Economaster	EM3404F	70° C
1/4	825	1	1.5	Ball	1/2 x 6 1/2	5	Century	FE1028SF	70° C
1/4	825	1	1.9	Ball	1/2 x 6		Marathon	X450	840RPM
1/3	825	1	1.8	Ball	1/2 x 6	7.5	Economaster	EM3405	
1/3	825	1	2.2	Ball	1/2 x 6	10	Genteq	3205	
1/3	825	1	2.3	Ball	1/2 x 6		Marathon	X451	
1/3	825	1	1.8	Ball	1/2 x 6	10	Genteq	3205HS	70° C
1/3	825	1	1.8	Ball	1/2 x 6	7.5	Economaster	EM3405F	70° C
1/3	825	1	2.1	Ball	1/2 x 6 1/2	7.5	Century	FE1038SF	70° C
1/2	825	1	2.5	Ball	1/2 x 6	10	Economaster	EM3746	
1/2	825	1	2.5	Ball	1/2 x 6 1/2	10	Century	FE1058SF	70° C
1/2	825	1	2.8	Ball	1/2 x 6	10	Genteq	3747HS	70° C
1/2	825	1	3.1	Ball	1/2 x 6		Marathon	X452	
1/6	1075	1	1.1	Ball	1/2 x 6	5	Economaster	EM3727	
1/6	1075	1	1.1	Ball	1/2 x 6	5	Economaster	EM3727F	70° C
1/6	1075	1	1.3	Ball	1/2 x 6		Marathon	X411	
1/6	1075	1	1.4	Ball	1/2 x 6 1/2	5	Century	FE1016SF	70° C
1/4	1075	1	1.3	Ball	1/2 x 6 3/8	5	Century	FE1026SC	
1/4	1075	1	1.4	Ball	1/2 x 6		Marathon	X412	
1/4	1075	1	1.8	Ball	1/2 x 6 1/2	5	FASCO	D7909	
1/4	1075	1	2.0	Ball	1/2 x 6	5	Economaster	EM3728	
1/4	1075	1	2.0	Ball	1/2 x 6	5	Economaster	EM3728F	70° C
1/4	1075	1	2.0	Ball	1/2 x 6 1/2	5	Century	FE1026SF	70° C
1/3	1075	1	1.8	Ball	1/2 x 6 3/8	7.5	Century	FE1036SC	
1/3	1075	1	1.9	Ball	1/2 x 6		Marathon	X413	
1/3	1075	1	2.5	Ball	1/2 x 6	7.5	Economaster	EM3729	
1/3	1075	1	2.6	Ball	1/2 x 6 1/2	7.5	FASCO	D7908	
1/3	1075	1	2.5	Ball	1/2 x 6	7.5	Economaster	EM3729F	70° C
1/3	1075	1	2.8	Ball	1/2 x 6 1/2	7.5	Century	FE1036SF	70° C
1/2	1075	1	2.8	Ball	1/2 x 6 3/8	10	Century	FE1056SC	
1/2	1075	1	3.5	Ball	1/2 x 6	10	Economaster	EM3730	
1/2	1075	1	3.7	Ball	1/2 x 6 1/2	10	FASCO	D7907	
1/2	1075	1	3.5	Ball	1/2 x 6	10	Economaster	EM3730F	70° C
1/2	1075	1	4.0	Ball	1/2 x 6 1/2	10	Century	FE1056SF	70° C
1/2	1075	2	4.2	Ball	1/2 x 6		Marathon	X416	
3/4	1075	1	3.8	Ball	1/2 x 6 1/2	12.5	Century	FE1076	
3/4	1075	1	4.2	Ball	1/2 x 6		Marathon	X469	
3/4	1075	1	5.3	Ball	1/2 x 6	10	Economaster	EM3731	
3/4	1075	1	5.1	Ball	1/2 x 6 1/2	15	Century	FE1076SF	70° C
3/4	1075	1	5.3	Ball	1/2 x 6	10	Economaster	EM3731F	70° C



## Condenser Motors, 5.6" Diameter, PSC, 208-230V, TEAO, Ball Bearing, Reversible, 60° C

HP	RPM	Speeds	Amps	Bearing	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/10	825	1	1.0	Sleeve	1/2 x 6	3	US Motors	1871	
1/8	825	1	.8	Sleeve	1/2 x 6	5	US Motors	1872	
1/6	825	1	1.0	Sleeve	1/2 x 6	5	Genteq	3403	
1/6	825	1	1.0	Sleeve	1/2 x 6	5	US Motors	1873	
1/6	825	1	1.1	Sleeve	1/2 x 6 1/2	5	Century	FSE1018SF	70° C
1/4	825	1	1.5	Sleeve	1/2 x 6	7.5	Genteq	3404	
1/4	825	1	2	Sleeve	1/2 x 6	5	US Motors	1874	
1/4	825	1	1.5	Sleeve	1/2 x 6 1/2	5	Century	FSE1028SF	70° C
1/3	825	1	2.2	Sleeve	1/2 x 6	7.5	Genteq	3405	
1/3	825	1	2.2	Sleeve	1/2 x 6	7.5	US Motors	1875	
1/3	825	1	2.1	Sleeve	1/2 x 6 1/2	7.5	Century	FSE1038SF	70° C
1/2	825	1	2.8	Sleeve	1/2 x 6	12.5	US Motors	1870	
1/2	825	1	3.2	Sleeve	1/2 x 6	15	Genteq	3746	
1/2	825	1	2.5	Sleeve	1/2 x 6 1/2	10	Century	FSE1058SF	70° C
1/6	1075	1	1.0	Sleeve	1/2 x 6	5	Genteq	3727	
1/6	1075	1	1.3	Sleeve	1/2 x 6	5	Century	FSE1016SV1	
1/6	1075	1	1.0	Sleeve	1/2 x 6 1/2	5	Genteq	3727HS	70° C
1/6	1075	1	1.4	Sleeve	1/2 x 6 1/2	5	Century	FSE1016SF	70° C
1/4	1075	1	1.8	Sleeve	1/2 x 6	5	Genteq	3728	
1/4	1075	1	1.8	Sleeve	1/2 x 6 1/2	5	Fasco	D909	
1/4	1075	1	1.8	Sleeve	1/2 x 6 3/8	5	Century	FSE1026SV1	
1/4	1075	1	1.7	Sleeve	1/2 x 6	5	Genteq	3728HS	70° C
1/4	1075	1	2.0	Sleeve	1/2 x 6 1/2	5	Century	FSE1026SF	70° C
1/3	1075	1	2.3	Sleeve	1/2 x 6	7.5	Genteq	3729	
1/3	1075	1	2.4	Sleeve	1/2 x 6 1/2	7.5	Fasco	D908	
1/3	1075	1	2.8	Sleeve	1/2 x 6 3/8	7.5	Century	FSE1036SV1	
1/3	1075	1	2.6	Sleeve	1/2 x 6 1/2	7.5	Genteq	3729HS	70° C
1/3	1075	1	2.8	Sleeve	1/2 x 6 1/2	7.5	Century	FSE1036SF	70° C
1/2	1075	1	3.5	Sleeve	1/2 x 6	10	Genteq	3730	
1/2	1075	1	4.0	Sleeve	1/2 x 6	10	Century	FSE1056SV1	
1/2	1075	1	3.0	Sleeve	1/2 x 6 1/2	10	Genteq	3730HS	70° C
1/2	1075	1	4.0	Sleeve	1/2 x 6 1/2	10	Century	FSE1056SF	70° C
3/4	1075	1	4.7	Sleeve	1/2 x 6	10	Genteq	3731	
3/4	1075	1	5.2	Sleeve	1/2 x 6 3/8	15	Century	FSE1076SV1	
3/4	1075	1	4.1	Sleeve	1/2 x 6 1/2	15	Genteq	3731HS	70° C
3/4	1075	1	5.1	Sleeve	1/2 x 6 1/2	15	Century	FSE1076SF	70° C

**Condenser Motors, 5.6" Diameter, PSC, 208-230V, TEAO, Reversible, Multi-Horspower**

HP	RPM	Speeds	Amps	Bearing	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/3			1.8			10			
1/4			1.5			10			
1/5	825	1	1.3	Ball	1/2 x 6	10	Genteq	3459HS	70° C
1/6			1.2			10			
1/8			1.0			10			
1/3			1.9			10			
1/4	825	1	1.5	Ball	1/2 x 6 1/2	10	Century	FE6001F	70° C
1/5			1.2			10			
1/6			1.0			10			
1/3			1.9			7.5			
1/4	825	1	1.5	Ball	1/2 x 5	7.5	US Motors	5464H	70° C
1/5			1.2			7.5			
1/6			1.0			7.5			
1/3			2.1			7.5			
1/4	825	1		Ball	1/2 x 6 1/2	7.5	Century	ORM5488BF	70° C
1/5						7.5			
1/6						7.5			
1/3			2.6			7.5			
1/4	825	2		Ball	1/2 x 4 1/2		US Motors	US5464H	Made in the USA 2 Year Warranty 70° C
1/5									
1/6									
1/2			2.4			10			
1/3	825	1	1.7	Ball	1/2 x 6 1/2	10	Century	FE6003F	70° C
1/4			1.4			10			
1/5			1.1			10			
1/2			2.8			20			
1/3			2.2			20			
1/4	825	1	2.0	Ball	1/2 x 6	20	Genteq	3461HS	70° C
1/5			1.8			20			
1/6			1.6			20			
1/3			2.1			7.5			
1/4	1075	1		Ball	1/2 x 6 1/2	7.5	Century	ORM5458BF	70° C
1/5						7.5			
1/6						7.5			
1/3			2.6			7.5			
1/4	1075	1	2.5	Ball	1/2 x 6 1/2	7.5	Century	FE6000F	70° C
1/5			2.0			7.5			
1/6			1.8			7.5			
1/3			2.6			7.5			
1/4	1075	1	2.5	Ball	1/2 x 6	7.5	Genteq	3458HS	70° C
1/5			2.0			7.5			
1/6			1.8			7.5			
1/3			2.6			5			
1/4	1075	1	2.5	Ball	1/2 x 5	5	US Motors	5462H	70° C
1/5			2.0			5			
1/6			1.8			5			
1/3			2.6			5			
1/4	1075	2		Ball	1/2 x 4 1/2		US Motors	US5462H	Made in the USA 2 Year Warranty 70° C
1/5									
1/6									
1/2			3			10			
1/3	1075	1	2.2	Ball	1/2 x 5	10	US Motors	5465H	70° C
1/4			1.6			10			
1/5			1.3			10			
1/2			3.0			10			
1/3			2.3			10			
1/4	1075	1	1.8	Ball	1/2 x 6	10	Genteq	3460HS	70° C
1/5			1.6			10			
1/6			1.4			10			
1/2			3.9			12.5			
1/3	1075	1	2.2	Ball	1/2 x 6 1/2	12.5	Century	FE6002F	70° C
1/4			1.6			12.5			
1/5			1.3			12.5			
3/4			4			15			
1/2	1075	1	2.8	Ball	1/2 x 5	15	US Motors	5482H	70° C
1/3			1.9			15			
1/4			1.4			15			
3/4			5.8			15			
1/2	1075	1	3.9	Ball	1/2 x 6 1/2	15	Century	FE6004F	70° C
1/3			2.5			15			
1/4			1.8			15			

## Condenser Motors, 5.6" Diameter, PSC, 460V, TEAO, Reversible

HP	RPM	Speeds	Amps	Bearing	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/4	825	1	1.0	Ball	1/2 x 6	5	US Motors	1880	
1/3	825	1	1.0	Ball	1/2 x 6	7.5	US Motors	1881	
1/3	825	1	1.1	Ball	1/2 x 6	10	Genteq	3209	
1/2	825	1	1.6	Ball	1/2 x 6	10	US Motors	1882	
1/2	825	1	1.8	Ball	1/2 x 6	10	Genteq	3740	
1/4	1075	1	1	Ball	1/2 x 6	7.5	Economaster	EM3736F	70° C
1/4	1075		0.65	Ball	1/2 x 6	7.5	Century	FEH1026SF	70° C
1/4	1075	1	0.75	Ball	1/2 x 6	7.5	Marathon	X456	
1/3	1075		0.8	Ball	1/2 x 6	7.5	Century	FEH1036SF	70° C
1/3	1075	1	0.9	Ball	1/2 x 6	7.5	Marathon	X457	
1/3	1075	1	1.3	Ball	1/2 x 6	7.5	Economaster	EM3737F	70° C
1/2	1075		1.2	Ball	1/2 x 6	10	Century	FEH1056SF	70° C
1/2	1075	1	1.4	Ball	1/2 x 6	10	Marathon	X458	
1/2	1075	1	1.5	Ball	1/2 x 6	10	Economaster	EM3738F	70° C
3/4	1075	1	2.1	Ball	1/2 x 6	15	Marathon	X459	
3/4	1075		2.2	Ball	1/2 x 6	10	Century	FEH1076SF	70° C
3/4	1075	1	2.8	Ball	1/2 x 6	15	Economaster	EM3739F	70° C
1	1075	1	3.4	Ball	1/2 x 6	25	Marathon	X462	

## Condenser Motors, 5.6" Diameter, PSC, 460V, TEAO, Reversible, Multi-Horsepower

HP	RPM	Speeds	Amps	Bearing	Shaft Dimension	Cap mfd/370v	Brand	Item Number	Notes
1/2			1.3			10			
1/3			.9			10			
1/4	1075	1	.7	Ball	1/2 x 5	10	US Motors	5480H	70° C
1/5			.5			10			
1/6			.5			10			
3/4			2.2			15			
1/2	1075	1	1.3	Ball	1/2 x 5	15	US Motors	5481H	70° C
1/3			1.1			15			
1/4			.7			15			

## Condenser Motors - ECM, 5.6" Diameter, PSC, Open, Reversible

### PSC Outdoor Fan Motor Upgrades/Replacements

HP	RPM	Speeds	Amps	Bearing	Shaft Dimension	Volts	Brand	Item Number	Notes
1/5	1075	2	2.8	Ball	1/2 x 3	208-240	Genteq	6301	
1/4	1075	2	3.5	Ball	1/2 x 3	208-240	Genteq	6303	
1/3	1075	2 PWM	1.6	Ball	1/2 x 6	460	Genteq	6903	
1/2	1075	2 PWM	2.5	Ball	1/2 x 6	460	Genteq	6905	
3/4	1075	2 PWM	3.1	Ball	1/2 x 6	460	Genteq	6907	

## Condenser Motors, Fan Canopy, 48 Frame, PSC, Closed Shaft End, Reversible, Ball Bearing

HP	RPM	Amps	Shaft Dimension	Volts	C Dimension	Brand	Item Number	Capacitor
0.04	1075	3.2/1.6	1/2" x 3 1/2"	200-230/460	10.30"	Century	FC1046F	5mfd/440v
0.06	1075	4.0/2.0	1/2" x 3 3/4"	200-230/460	12.49"	Century	FC1066F	7.5mfd/440v
0.06	1075	4.0/2.0	5/8" x 3 3/4"	200-230/460	12.49"	Century	FC1066AF	7.5mfd/440v
0.08	1075	4.6/2.3	1/2" x 3 1/2"	200-230/460	13.80"	Century	FC1086F	20mfd/440v
0.08	1075	4.6/2.3	5/8" x 3 1/2"	200-230/460	13.80"	Century	FC1086AF	20mfd/440v
1	1075	6.4/3.2	5/8" x 4"	200-230/460	15"	Century	FC1106F	25mfd/440v
1 1/2	1075	7.0/3.5	5/8" x 4"	200-230/460	15.6"	Century	FC1156F	25mfd/440v

## Condenser Motors, Fan Canopy, 48 Frame, 3 Phase, Closed Shaft End, Reversible, Ball Bearing

HP	RPM	Amps	Shaft Dimension	Volts	C Dimension	Brand	Item Number	Notes
1/2	1140	3.0/1.5	1/2 x 3 3/4"	200-230/460	12.92"	Century	FC3056F	
1/2	1140	2.2-2.6/1.3	5/8" x 5"	200-230/460	12.81"	Marathon	K1403	
3/4	1140	4.0/2.0	5/8 x 4"	200-230/460	14.55"	Century	FC3076F	
3/4	1140	3.3-3.8/1.9	5/8" x 5"	200-230/460	14.8"	Marathon	K1404	
1	1140	5.0/2.5	5/8" x 4"	200-230/460	14.25"	Century	FC3107	
1	1140	5.6/2.8	5/8" x 4"	200-230/460	15.0"	Century	FC3106F	56 Frame Bracket Incl.
1	1140	4.4-4.0/2.0	5/8" x 5"	200-230/460	16.05"	Marathon	K1402	
1 1/2	1140	5.8/2.9	5/8" x 4"	200-230/460	15.0"	Century	FC3156F	56 Frame Bracket Incl.
1 1/2	1140	6.0-5.8/2.9	5/8" x 5"	200-230/460	15.76"	Marathon	K1407	

## Commercial Condenser Motors, 56 Frame, PSC, ODP, Reversible, Ball Bearing

HP	RPM	Amps	Shaft Dim	Mounting	Volts	Cap mfd/370v	Brand	Item Number	Notes
1/2	825	6.6/4.0-3.3	5/8" x 6"	Belly Band	115/208-230	15	Century	C784	
1/2	825	3.6	5/8" x 6"	Belly Band	208-230	10	US Motors	3568	
1/2	825	3.5-3.4/1.7	5/8" x 6"	Belly Band	200-230/460	15	Century	C512V1	
3/4	825		5/8" x 6"	Belly Band	200-230/460	15	Century	C660V1	
3/4	825	5.3	5/8" x 6"	Belly Band	208-230	7.5	US Motors	3567	Stud Mount
1	825	7.2-6.8/3.4	5/8" x 6"	Belly Band	200-230/460	12.5	Century	C490	
1/2	1075	1.3/2.6-2.5	5/8" x 6"	Belly Band	200-230/460	10	Century	C513V1	Shaft Up
3/4	1075	3.8	5/8" x 6"	Belly Band	208-230	15	US Motors	3566	Shaft Up, 208-230
3/4	1075	3.9-3.6/1.8	5/8" x 6"	Belly Band	200-230/460	15	Marathon	X207	Shaft Up
3/4	1075	4.0-3.8/1.9	5/8" x 6"	Belly Band	200-230/460	15	Century	C661V1	Shaft Up
1	1075	4.8/2.4	5/8" x 6"	Belly Band	200-230/460	25	Century	C770	Shaft Up
1	1075	4./2.4	5/8" x 6"	Belly Band	200-230/460	25	Century	C771V1	Shaft Up
1	1075	4.2/2.3	5/8"x6"	Belly Band	208-230/460	25	Century	C785	TEAO
1	1075	5.4-5.2/2.6	5/8" x 6"	Belly Band	200-230/460	20	Marathon	X206	Shaft Up
1 1/2	1075	6.6/3.3	5/8"x6"	Belly Band	200-230/460	25	Century	C786	TEAO
1 1/2	1075	7.7-7.6/3.8	5/8" x 6"	Belly Band	200-230/460	30	Marathon	X271	Shaft Up

## Commercial Condenser Motors, 56 Frame, 3 Phase, ODP, Reversible, Ball Bearing

HP	RPM	Amps	Shaft Dim	Mounting	Volts	C-Dimension	Brand	Item Number	Notes
1/3	825	2.3-2.5/1.3	5/8" x 5"	Belly Band	208-230/460	14.56"	Marathon	X511	
3/4	825	3.6/1.8	5/8" x 5"	Belly Band	208-230/460	16.06"	Marathon	X506	
3/4	825	3.6/1.8	5/8" x 5"	Belly Band	208-230/460	16.06"	Marathon	X506-P	IDBCP
1	825	4.8/2.4	5/8" x 6"	Belly Band	200-230/460	16.8"	US Motors	1828H	
1	825	5.0/2.5	5/8" x 6"	Belly Band	208-230/460	16.8"	US Motors	1828VG	IDBCP
1	825	5.2-5.0/2.6	5/8" x 6"	Belly Band	208-230/460	18.32"	Century	H1053A	ID - Removable Base
1	825	5.3-2.7	5/8" x 5"	Belly Band	208-230/460	16.06"	Marathon	X507	
1	825	5.3-2.7	5/8" x 5"	Belly Band	208-230/460	16.06"	Marathon	X507-P	IDBCP
1 1/2	825	6.8/3.3	5/8" x 6"	Belly Band	200-230/460	16.8"	US Motors	1832H	
1 1/2	825	7.0-6.8/3.4	5/8" x 5"	Belly Band	208-230/460	17.06"	Marathon	X530-P	IDBCP
1 1/2	825	7.2/3.6	5/8" x 3 1/2"	Belly Band	208-230/460	15.8"	US Motors	1832VG	IDBCP
1 1/2	825	7.2/3.6	5/8" x 6"	Belly Band	208-230/460	18.77"	Century	H1054A	ID - Removable Base
1 1/2	825	7.5-6.8/3.4	5/8" x 5"	Belly Band	208-230/460	16.31"	Marathon	X530	
1/2	825	3.0-2.9/1.5	5/8" x 5"	Rigid Base	208-230/460	14.68"	Marathon	X529	
1/2	825	3.0-2.6/1.5	5/8" x 5"	Rigid Base	208-230/460	15.0"	Marathon	X529-P	IDBCP
1	825	4.8/2.4	5/8" x 6"	Rigid Base	200-230/460	16.8"	US Motors	1833H	
1	825	5.0/2.5	5/8" x 6"	Rigid Base	208-230/460	16.8"	US Motors	1833VG	IDBCP
1	825	5.2-5.0/2.6	5/8" x 6"	Rigid Base	208-230/460	18.32"	Century	H1053A	ID - Removable Base
1	825	5.3-4.8/2.7	5/8" x 5"	Rigid Base	208-230/460	17.1"	Marathon	X528-P	IDBCP
1	825	5.3-5.1/2.7	5/8" x 5"	Rigid Base	208-230/460	17.1"	Marathon	X528	
1 1/2	825	6.8/3.3	5/8" x 6"	Rigid Base	200-230/460	16.8"	US Motors	1831H	
1 1/2	825	7.0/3.5	5/8" x 5"	Rigid Base	208-230/460	16.68"	Marathon	X531	
1 1/2	825	7.0/3.5	5/8" x 5"	Rigid Base	208-230/460	17.1"	Marathon	X531-P	IDBCP
1 1/2	825	7.2/3.6	5/8" x 3 1/2"	Rigid Base	208-230/460	15.8"	US Motors	1831VG	IDBCP
1 1/2	825	7.2/3.6	5/8" x 6"	Rigid Base	208-230/460	18.77"	Century	H1054A	ID - Removable Base
1/2	1140	2.4-2.7/1.4	5/8" x 5"	Belly Band	200-230/460	14.06"	Marathon	X500	
1/2	1140	2.8-2.6/1.3	5/8" x 6"	Belly Band	200-230/460	16.31"	Century	H564	
1/2	1140	2.8-2.6/1.3	5/8" x 6"	Belly Band	200-230/460	16.1"	Century	H1055A	ID - Removable Base
3/4	1140	2.8/1.4	5/8" x 6"	Belly Band	200-230/460	15.3"	US Motors	1817H	
3/4	1140	3.0-2.8/1.5	5/8" x 6"	Belly Band	200-230/460	16.31"	Century	H567	
3/4	1140	3.0-2.8/1.5	5/8" x 6"	Belly Band	200-230/460	16.2"	Century	H1056A	ID - Removable Base
3/4	1140	3.1-3.2/1.6	5/8" x 5"	Belly Band	200-230/460	14.56"	Marathon	X501	
3/4	1140	3.1-3.2/1.6	5/8" x 5"	Belly Band	200-230/460	14.56"	Marathon	X501-P	IDBCP
1	1140	4.0-3.8/2.0	5/8" x 6"	Belly Band	200-230/460	16.4"	Century	H1050AV1	ID - Removable Base
1	1140	4.0-4.2/2.1	5/8" x 5"	Belly Band	200-230/460	15.06"	Marathon	X502	
1	1140	4.0-4.2/2.1	5/8" x 5"	Belly Band	200-230/460	15.06"	Marathon	X502-P	IDBCP
1	1140	4.2/2.1	5/8" x 6"	Belly Band	200-230/460	14.8"	US Motors	1818H	
1	1140	4.3/2.1	5/8" x 6"	Belly Band	208-230/460	15.8"	US Motors	1818VG	IDBCP
1	1140	4.3-4.6/2.3	5/8" x 6"	Belly Band	200-230/460	16.52"	Century	H667V1	
1 1/2	1140	5.5-5.4/2.7	5/8" x 5"	Belly Band	200-230/460	16.06"	Marathon	X503	
1 1/2	1140	5.5-5.4/2.7	5/8" x 5"	Belly Band	200-230/460	16.06"	Marathon	X503-P	IDBCP
1 1/2	1140	5.3/2.6	5/8" x 6"	Belly Band	208-230/460	15.8"	US Motors	1819VG	IDBCP
1 1/2	1140	5.4/2.7	5/8" x 6"	Belly Band	200-230/460	15.8"	US Motors	1819H	
1 1/2	1140	5.8/2.9	5/8" x 6"	Belly Band	200-230/460	17.3"	Century	H1051A	ID - Removable Base
1 1/2	1140	5.8-6.0/3.0	5/8" x 6"	Belly Band	200-230/460	17"	Century	H767V1	
2	1140	6.8-6.2/3.1	5/8" x 6"	Belly Band	208-230/460	18.2"	Century	H699	
2	1140	7.0-7.0/3.5	5/8" x 6"	Belly Band	208-230/460	18.4"	Century	H1052AV1	ID - Removable Base
2	1140	7.2-6.8/3.4	5/8" x 5"	Belly Band	208-230/460	17.06"	Marathon	X509	
2	1140	7.2-6.8/3.4	5/8" x 5"	Belly Band	208-230/460	17.06"	Marathon	X509-P	IDBCP
2	1140	7.6-3.7	5/8" x 6"	Belly Band	208-230/460	16.8"	US Motors	8987H	
2	1140	7.8-3.9	5/8" x 6"	Belly Band	208-230/460	16.8"	US Motors	8987VG	IDBCP

ID = Inverter Duty

IDBCP = Inverter Duty Motor Includes Bearing Current Protection Included

## Commercial Condenser Motors, 56 Frame, 3 Phase, ODP, Reversible, Ball Bearing

HP	RPM	Amps	Shaft Dim	Mounting	Volts	C Dimension	Brand	Item Number	Notes
1/3	1140	1.8/.9	1/2" x 5"	Rigid Base	208-230/460	13.37"	Marathon	X532	
1/2	1140	2.1-2.0/1.0	5/8" x 5"	Rigid Base	208-230/460	13.37"	Marathon	X533	
1/2	1140	2.1-2.0/1.0	5/8" x 5"	Rigid Base	208-230/460	13.37"	Marathon	X533-P	IDBCP
1/2	1140	2.8-2.6/1.3	5/8" x 6"	Rigid Base	200-230/460	16.1"	Century	H1055A	ID - Removable Base
3/4	1140	2.8/1.4	5/8" x 6"	Rigid Base	208-230/460	15.3"	US Motors	1826H	
3/4	1140	3.0-2.8/1.5	5/8" x 6"	Rigid Base	200-230/460	16.2"	Century	H1056A	ID - Removable Base
3/4	1140	3.2/1.6	5/8" x 5"	Rigid Base	208-230/460	14.18"	Marathon	X512-P	IDBCP
1	1140	4.0-3.8/2.0	5/8" x 6"	Rigid Base	200-230/460	16.4"	Century	H1050AV1	ID - Removable Base
1	1140	4.1-4.0/2.1	5/8" x 5"	Rigid Base	208-230/460	14.68"	Marathon	X513	
1	1140	4.2-4.0/2.1	5/8" x 5"	Rigid Base	208-230/460	15.0"	Marathon	X513-P	IDBCP
1	1140	4.2/2.1	5/8" x 6"	Rigid Base	208-230/460	14.8"	US Motors	1820H	
1	1140	4.3/2.1	5/8" x 6"	Rigid Base	208-230/460	15.8"	US Motors	1820VG	IDBCP
1 1/2	1140	5.3/2.6	5/8" x 6"	Rigid Base	208-230/460	16.3"	US Motors	1821VG	IDBCP
1 1/2	1140	5.4/2.7	5/8" x 5"	Rigid Base	208-230/460	15.68"	Marathon	X523	
1 1/2	1140	5.4/2.7	5/8" x 5"	Rigid Base	208-230/460	16.0"	Marathon	X523-P	IDBCP
1 1/2	1140	5.4/2.7	5/8" x 6"	Rigid Base	208-230/460	15.8"	US Motors	1821H	
1 1/2	1140	5.8/2.9	5/8" x 6"	Rigid Base	200-230/460	17.3"	Century	H1051A	ID - Removable Base
2	1140	7.0-7.0/3.5	5/8" x 6"	Rigid Base	208-230/460	18.4"	Century	H1052AV1	ID - Removable Base
2	1140	7.2-6.8/3.4	5/8" x 5"	Rigid Base	208-230/460	16.68"	Marathon	X525	
2	1140	7.6-7.4/3.7	5/8" x 6"	Rigid Base	208-230/460	16.8"	US Motors	1822H	
2	1140	7.6-7.4/3.7	5/8" x 6"	Rigid Base	208-230/460	16.8"	US Motors	1822VG	IDBCP

ID = Inverter Duty

IDBCP = Inverter Duty Motor Includes Bearing Current Protection Included