

2014/2015 FIREPLACE WOODSTOVE

MOTORS / BLOWERS
10.24.14



MODEL	CFM	VOLTS	AMPS	RPM	SPEED	NOTES
50755-D500	160	115	1.10	1600	1	<i>Discharge Flange Mounting Holes: 4.12" x 1.47"</i> General replacement blower, Heat Tech, Nesco, US Stove, Mt. Vernon Fireplace, Arrow heating, Waterford Stove, Even Temp, Earth Stove (Hearth Trends), Travis, Country Flame, Martin Industries, Regency, also see Fasco cross reference.
7021-11253	79	115	1.10	3000	1	<i>Discharge: 2.72" x 1.66"</i> Country Flame blower
A071	71	115	0.70	2850	1	<i>Discharge Flange has 3.25" diameter Bolt Circle</i> General replacement blower
A082	75	115	0.95	2800	1	<i>Discharge: 2.71" x 1.72"</i> General replacement blower motor and fan, Hearthland, American Energy, Heat Tech, Sherwood (Enviro), Aladdin Steel, Burgess, Glo King, EarthStove (Hearth Trends), England Stove, Freeland Flame, Aladdin Hearth, APR Industries, Waterford Stove, Even Temp, National Steel, US Stove, Grainger, Travis, Pyro Industries, also see Fasco cross reference.
A120	120	115	1.10	3000	2	<i>Dimensions: 12.75" x 4.0" x 4.25"</i> Hearth and Home 7002-2983
A125	125	115	1.10	3200	1	<i>Dimensions: 13.5" x 4.25" x 3.75"</i> Heritage Wood Fireplace, Dayton 4C825, Waterford Stove, Jotul, Orville Products, Tolotte, England Stove, also see Fasco cross reference.
A212	212	115	1.25	2500	1	<i>Dimensions: 13.5" x 4.25" x 4.63"</i> General replacement blower, Sherwood (Enviro), Vestal Manufacturing, Wilkening Fireplace, Earth Stove (Hearth Trends), also see Fasco cross reference.
B160 (kit)	-	-	1.56	3000	-	Designed to enhance heat output from home fireplaces, the B160 operates on 115 VAC, 60Hz power supply that's accessible through a receptacle in the factory-installed junction box. It features a variable speed control that provides forced airflow at the desired speed, plus a temperature sensor switch to turn the blower automatically on and off.

WWW.PEMSMOTORS.COM

PRECISION ELECTRIC MOTOR SALES • OWOSSO, MICHIGAN • P: 800.234.5687 F: 888.234.5687



B24220



B45227



B45267



B47120



D1138



D1139



P58L180 (kit)



P59L180B



P61L180B



P64R240B

MODEL	CFM	VOLTS	AMPS	RPM	SPEED	NOTES
B24220	135	115	1.30	2600	1	Discharge Flange Mounting Holes: 3.75" x 3.38" Breckwell, National Steelcrafter, Pyro Industries, Sherwood (Enviro), also see Fasco cross reference.
B45227	265	115	1.86	1650	1	Discharge Flange Mounting Holes: 4.88" x 4.37" Russo Woodstove, National Stoveworks, Peacock Stove, Carolina Stove, National Steel, Steel Crafters, England Stove, Vestal Manufacturing, Heat-N-Glo, Nor-aire Manufacturing, Orville Products, Earth Stove (Hearth Trends), also see Fasco cross reference.
B45267	460	115	2.90	1600	2	Discharge Flange Mounting Holes: 8.81" x 4.37" General replacement blower, Arrow Heating, Seven Valley Stove, Superior Fireplace, George Mayer, Mt. Vernon Fireplace, Heatilator, England Stove, Travis, US Stove, Ruegg Fireplace, Nor-aire Manufacturing, also see Fasco cross reference.
B47120	180	115	1.95	1360	3	Discharge: 4 1/8" x 2 1/2" General replacement blower, US Stove, Appalachian Stove, Heatilator, Martin Industries, Rockhill Metal, Pacific Energy, also see Fasco cross reference.
D1138	-	115	0.90	1500	3	Dimensions: 3.9" dia., 4" body length with 5/16" x 2 1/2" shaft (2 7/8" bolt circle) Buck Stove, 7163-6045, R22CCW270ZD
D1139	-	115	0.90	1500	3	Dimensions: 3.3" dia., 2 13/16" body length with 2 1/2" x 5/16" x 1 1/8" shaft (2 7/8" bolt circle) Buck Stove, R22CW206MD, AK45121A
P58L180 (kit)	160	120	0.70	1800	-	Discharge Opening: 7.1" x 1.3" Continental GZ550, BCDV36NTR, Napoleon GZ550, GD36NTR, fits most Napoleon direct vent gas/propane fireplaces. Includes: Thermal Switch, Speed Control, Mounting Plate and Power Cord with Plug
P59L180B	160	120	0.70	1800	-	Discharge Opening: 7.1" x 1.3" Continental GZ550, BCDV36NTR, Napoleon GZ550, GD36NTR, fits most Napoleon direct vent gas/propane fireplaces. Includes: Speed Control and Mounting Plate
P61L180B	160	120	0.70	1800	-	Discharge Opening: 7.1" x 1.3" Overall Length is 9.6" Napoleon & Continental GZ552 (gas)
P64R240B	130	120	0.88	1800	-	Discharge Opening: 9.5" x 1.3" Overall Length is 12.25" CFM FA20, FK24, RHE32, Lennox 18L46, Magestic HE30, HE32



P82R180B
B22505



P84L240B
PV003



P100L240 (kit)



P200L240 (kit)



P250L240 (kit)



MODEL	CFM	VOLTS	AMPS	RPM	SPEED	NOTES
-------	-----	-------	------	-----	-------	-------

P82R180B

140 120 0.70 1800 1

Discharge Opening: 7.1" x 1.3", Overall Length is 9.6"

Heritage 8011

P84L240B

130 120 0.88 1800 1

Discharge Opening: 9.5" x 1.3", Overall Length is 12.25"

Zero Clearance P33R-2, Hunter 770, HDS2000, HDS3000, HF130, HDV25003DV, Heatilator FK4, GFK4

P100L240 (kit)

130 120 0.88 - 2

Discharge Opening: 9.5" x 1.3", Overall Length with Mounting Plate is 13.25".

Lennox FBK-100

Includes: Mounting Plate and Power Cord with Plug.

P200L240 (kit)

130 120 0.88 - 3

Discharge Opening: 9.5" x 1.3", Overall Length with Mounting Plate is 13.25".

Lennox FBK-200

Includes: Mounting Plate and Power Cord with Plug.

P250L240 (kit)

130 120 0.88 - 3

Discharge Opening: 9.5" x 1.3", Overall Length with Mounting Plate is 13.25".

Lennox FBK-250

Includes: Thermal Switch, Speed Control in box, Mounting Plate, and Power Cord with Plug.

TRANSFLO BLOWERS

MODEL	BODY	HOUSING LENGTH	CFM	VOLTS	AMPS	RPM
B22505	7.54" x 4.19" x 3.5"	5.75"	80	115	0.55	3200
B22507	11.3" x 4.19" x 3.5"	8.25"	115	115	0.85	3100
B22508	11.89" x 3.73" x 3.22"	9.90"	105	115	0.70	1500
B22510	15.54" x 4.19" x 3.5"	11.25"	153	115	1.0	3100
B22513	17.53" x 4.19" x 3.5"	14.25"	215	115	1.3	2780

AUGER MOTOR

MODEL	RPM	VOLTS	AMPS	CONNECTION	DIMENSIONS
PV003	1	115	0.51	Spade Terminal	3/8" dia. x 1" length, 2 3/8" x 2 3/8" Bolt Hold Pattern, 3 3/8" Bolt Circle

Cross Reference: Fasco V08038AA09, national Steel Crafters 6807, Lennox Hearth 6216 Replaces: Fasco V003 and Rotom HM-RGM451

SOLID STATE SPEED CONTROLS

PEMS	REPLACES CENTURY	VOLTS	AMPS	FIGURE
A177-1001	---	115	3.0	A
A177-1004	1234A	115	4.0	B
K177-1002	---	115	2.5	C
K177-1005	1233A	115	5.0	C
K177-1006	---	115	6.0	C
K177-1008	---	115	8.0	C
K177-1010	1408A	115	10.0	D
K177-1015	---	115	15.0	D
K177-2005	1407A	240	5.0	C
K177-2008	---	240	8.0	C
K177-2010	---	240	10.0	D
K177-2715	---	277	15.0	D


A

B

C

D
FASCO CROSS REFERENCE

CROSS	BRAND	MODEL	CROSS	BRAND	MODEL
7002-1942	ENGLAND STOVE	A082	7063-4794	ARROW HEATING	B45267
7002-2411	FREELAND FLAME	A082	7063-4824	CAROLINA STOVE	B45227
7002-2983	HEARTH AND HOME	A120	7063-4996	NATIONAL STEEL	B45227
7021-10183	WATERFORD STOVE	A125	7063-4996	STEEL CRAFTERS	B45227
7021-10215	ALADDIN HEARTH	A082	7063-5031	MT. VERNON FIREPLACE	50755-D500
7021-10216	APR INDUSTRIES	A082	7063-5034	SEVEN VALLEY STOVE	B45267
7021-10309	WATERFORD STOVE	A082	7063-5093	SUPERIOR FIREPLACE	B45267
7021-10327	EVEN TEMP	A082	7063-5313	ARROW HEATING	50755-D500
7021-10511	ALADDIN HEARTH	A082	7063-5329	GEORGE MAYER	B45267
7021-10550	SHERWOOD (Enviro)	A212	7063-5602	MT. VERNON FIREPLACE	B45267
7021-10725	ALADDIN HEARTH	A082	7063-5921	WATERFORD STOVE	50755-D500
7021-10749	JOTUL	A125	7063-5957	U.S. STOVE	B47120
7021-11027	NATIONAL STEEL	A082	7063-5986	APPALACHIAN STOVE	B47120
7021-11358	U.S. STOVE	A082	7063-6002	HEATILATOR	B45267
7021-6791	ORVILLE PRODUCTS	A125	7063-6341	ENGLAND STOVE	B45267
7021-6809	TOLOTTE	A125	7063-6344	NOR-AIRE MANUFACTURING	B45267
7021-7290	GRAINGER	A082	7063-6345	NOR-AIRE MANUFACTURING	B45227
7021-7372	NATIONAL STEEL	A082	7063-6406	TRAVIS	B45267
7021-7462	PYRO INDUSTRIES	B24220	7063-6568	HUTCH MANUFACTURING	B47120
7021-7582	SHERWOOD (Enviro)	B24220	7063-6596	HEATILATOR	B47120
7021-7586	TRAVIS	A082	7063-6692	EVEN TEMP	50755-D500
7021-7624	VESTAL MANUFACTURING	A212	7063-6861	ORVILLE PRODUCTS	B45227
7021-7757	PYRO INDUSTRIES	A082	7063-7102	U.S. STOVE	B45267
7021-7809	ENGLAND STOVE	A125	7063-7529	VESTAL MANUFACTURING	B45227
7021-7850	SHERWOOD (Enviro)	A082	7063-7662	APPALACHIAN STOVE	B47120
7021-7856	ALADDIN STEEL	A082	7063-7871	U.S. STOVE	B45267
7021-7908	BURGESS	A082	7063-7942	HEAT-N-GLO	B45227
7021-7931	WILKENING FIREPLACE	A212	7063-8057	MARTIN INDUSTRIES	B47120
7021-7938	SHERWOOD (Enviro)	B24220	7063-8255	EARTH STOVE (Hearth Trends)	50755-D500
7021-8129	HEARTH LAND	A082	7063-8259	TRAVIS	50755-D500
7021-8215	GLO KING	A082	7063-8322	COUNTRY FLAME	50755-D500
7021-8249	SHERWOOD (Enviro)	B24220	7063-8346	RUEGG FIREPLACE	B45267
7021-8286	AMERICAN ENERGY	A082	7063-8369	MARTIN INDUSTRIES	50755-D500
7021-8855	HEAT TECH	A082	7063-8537	EVEN TEMP	50755-D500
7021-9025	EARTH STOVE (Hearth Trends)	A212	7063-8571	TRAVIS	50755-D500
7021-9037	TRAVIS	A082	7063-8585	EARTH STOVE (Hearth Trends)	50755-D500
7021-9038	TRAVIS	A082	7063-8873	EVEN TEMP	50755-D500
7021-9081	APR INDUSTRIES	A082	7063-9224	REGENCY	50755-D500
7021-9457	EVEN TEMP	A082	7063-9465	PACIFIC ENERGY	B47120
7021-9527	EARTH STOVE (Hearth Trends)	A082	7063-9465	ROCKHILL METAL	B47120
7021-9667	ENGLAND STOVE	A082	7063-9534	HEAT TECH	50755-D500
7021-9778	TRAVIS	A082	7063-9813	NESCO	50755-D500
7058-0064	NATIONAL STEEL	A082	7073-0107	EARTH STOVE (Hearth Trends)	B45227
7058-0225	ENGLAND STOVE	A082	7073-0616	EVEN TEMP	50755-D500
7063-4755	RUSSO WOOD STOVE	B45227	7073-1449	ENGLAND STOVE	B45227
7063-4769	NATIONAL STOVEWORKS	B45227	7073-1480	U.S. STOVE	50755-D500
7063-4777	PEACOCK STOVE	B45227	7163-6045	BUCK STOVE	D1138

WWW.PEMSMOTORS.COM